

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)

( EN / D )

**Trade name :** Lithofin EASY-CARE

**Revision date :** 03.03.2021

**Version (Revision) :** 5.0.0 (4.0.0)

**Print date :** 13.04.2021

**SECTION 1: Identification of the substance/mixture and of the company/ undertaking**

**1.1 Product identifier**

Lithofin EASY-CARE

**1.2 Relevant identified uses of the substance or mixture and uses advised against**  
**Relevant identified uses**

Mixture Washing and cleaning products, alkaline

**1.3 Supplier**

**Distributor :**

Casdron Enterprises Ltd.

Street :

Wood End, Prospect Road

Postal code/city :

GB- New Alresford, Hants SO 24 9QF

Telephone :

+44 1962 732126

Telefax :

+44 1962 735373

Contact :

Technical Department

E-mail: sales@lithofin.co.uk

Emergency telephone number:

0196 2732126

(Only available during office hours)

**Supplier :**

Lithofin AG

Street :

Heinrich-Otto-Str. 36

Postal code/city :

73240 Wendlingen

Telephone :

+49 (0)7024 9403-0

Telefax :

+49 (0)7024 9403-40

Contact :

Technical Department

E-mail: info@lithofin.de

Emergency telephone number:

+49 (0)7024 9403-0

(Only available during office hours)

**1.4 Emergency telephone number**

see section 1.3

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008 [CLP]**

Eye Irrit. 2 ; H319 - Serious eye damage/eye irritation : Category 2 ; Causes serious eye irritation.

**Additional information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

**Remark**

Full text of H- and EUH-statements: see section 16.

**2.2 Label elements**

**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

**Hazard pictograms**



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

( EN / D )

**Trade name :** Lithofin EASY-CARE

**Revision date :** 03.03.2021

**Version (Revision) :** 5.0.0 (4.0.0)

**Print date :** 13.04.2021

Exclamation mark (GHS07)

## Signal word

Warning

## Hazard statements

H319 Causes serious eye irritation.

## Precautionary statements

P102 Keep out of reach of children.

P280 Wear eye protection/face protection.

P337+P313 If eye irritation persists: Get medical advice/attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local and national regulations.

## 2.3 Other hazards

None

## 2.4 Additional information

see section 12.5

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous ingredients

Fatty acids, tall-oil, potassium salts ; EC No. : 263-136-1; CAS No. : 61790-44-1

Weight fraction :  $\geq 5 - < 10$  %

Classification 1272/2008 [CLP] : Skin Irrit. 2 ; H315 Eye Irrit. 2 ; H319

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts ; REACH No. : 01-2119489428-22-xxxx ; EC No. : 270-115-0; CAS No. : 68411-30-3

Weight fraction :  $\geq 1 - < 3$  %

Classification 1272/2008 [CLP] : Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 Skin Irrit. 2 ; H315 Aquatic Chronic 3 ; H412

Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; REACH No. : 01-2119488639-16-xxxx ; EC No. : 500-234-8; CAS No. : 68891-38-3

Weight fraction :  $\geq 1 - < 5$  %

Classification 1272/2008 [CLP] : Eye Dam. 1 ; H318 Skin Irrit. 2 ; H315 Aquatic Chronic 3 ; H412

Specific Conc. Limits : Eye Dam. 1 ; H318: C  $\geq 10$  % • Eye Irrit. 2 ; H319: C  $\geq 5$  %

Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl) ; REACH No. : 01-2119490100-53-xxxx ; EC No. : 931-329-6; CAS No. : 68155-07-7

Weight fraction :  $\geq 1 - < 2,5$  %

Classification 1272/2008 [CLP] : Eye Dam. 1 ; H318 Skin Irrit. 2 ; H315 Aquatic Chronic 2 ; H411

**This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH**

None (below the concentration limit)

**This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH**

None (below the concentration limit)

#### Additional information

All ingredients of this mixture are (pre)registered according to REACH regulation.

Full text of H- and EUH-statements: see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps. If unconscious place in recovery position and seek medical advice.

**Trade name :** Lithofin EASY-CARE

**Revision date :** 03.03.2021

**Version (Revision) :** 5.0.0 (4.0.0)

**Print date :** 13.04.2021

#### **Following inhalation**

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration. In case of respiratory tract irritation, consult a physician.

#### **In case of skin contact**

After contact with skin, wash immediately with plenty of water and soap. Immediately remove any contaminated clothing, shoes or stockings. Do not wash with: Cleaning agent, acidic Cleaning agent, alkaline Solvents/Thinner

#### **After eye contact**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

#### **After ingestion**

Call a physician immediately. Keep at rest. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting.

#### **Self-protection of the first aider**

First aider: Pay attention to self-protection!

#### **4.2 Most important symptoms and effects, both acute and delayed**

No information available.

#### **4.3 Indication of any immediate medical attention and special treatment needed**

##### **Notes for the doctor**

Treat symptomatically.

##### **Special treatment**

First Aid, decontamination, treatment of symptoms.

### **SECTION 5: Firefighting measures**

#### **5.1 Extinguishing media**

##### **Suitable extinguishing media**

Water spray jet ABC-powder Foam

##### **Unsuitable extinguishing media**

Full water jet Strong water jet

#### **5.2 Special hazards arising from the substance or mixture**

##### **Hazardous combustion products**

Carbon monoxide Carbon dioxide (CO<sub>2</sub>)

#### **5.3 Advice for firefighters**

Use suitable breathing apparatus.

##### **Special protective equipment for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.

#### **5.4 Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Do not allow run-off from fire-fighting to enter drains or water courses. Do not inhale explosion and combustion gases. The product itself does not burn. Coordinate fire-fighting measures to the fire surroundings.

### **SECTION 6: Accidental release measures**

#### **6.1 Personal precautions, protective equipment and emergency procedures**

Wear personal protection equipment (refer to section 8). Provide adequate ventilation. Remove persons to safety.

#### **6.2 Environmental precautions**

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

#### **6.3 Methods and material for containment and cleaning up**

##### **For cleaning up**

Suitable material for taking up: Universal binder

Clean contaminated articles and floor according to the environmental legislation. Retain contaminated washing water and dispose it. Dispose of waste according to applicable legislation.

**Trade name :** Lithofin EASY-CARE

**Revision date :** 03.03.2021

**Version (Revision) :** 5.0.0 (4.0.0)

**Print date :** 13.04.2021

#### 6.4 Reference to other sections

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

When using do not eat, drink, smoke, sniff.

##### Protective measures

All work processes must always be designed so that the following is excluded: Inhalation of vapours or spray/mists  
Skin contact Eye contact Wear personal protection equipment (refer to section 8). Always close containers tightly after the removal of product. Do not breathe gas/fumes/vapour/spray. Use only in well-ventilated areas. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. Technical measures and the application of suitable work processes have priority over personal protection equipment.

##### Measures to prevent fire

The product is not: Flammable Usual measures for fire prevention.

**Fire class :** -

**Shake well before use** No

##### Advices on general occupational hygiene

P362+P364 - Take off contaminated clothing and wash it before reuse.

#### 7.2 Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed. Keep/Store only in original container. The floor should be leak tight, jointless and not absorbent. Ensure adequate ventilation of the storage area.

##### Hints on joint storage

**Storage class (TRGS 510) :** 12

**Recommended storage temperature** 5 - 25 °C

**Protect from frost** No

##### Further information on storage conditions

Keep locked up and out of reach of children. Keep container tightly closed in a cool, well-ventilated place.

#### 7.3 Specific end use(s)

##### Recommendation

Observe technical data sheet. Observe instructions for use.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### DNEL-/PNEC-values

###### DNEL/DMEL

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts ; CAS No. : 68411-30-3

Limit value type : DNEL Consumer (systemic)

Exposure route : Dermal

Exposure frequency : Long-term

Limit value : 85 mg/kg/d

Limit value type : DNEL Consumer (systemic)

Exposure route : Inhalation

Exposure frequency : Long-term

Limit value : 3 mg/kg

Limit value type : DNEL worker (systemic)

Exposure route : Dermal

Exposure frequency : Long-term

Limit value : 170 mg/kg/d

**Safety Data Sheet**  
**according to Regulation (EC) No. 1907/2006 (REACH)**

( EN / D )

**Trade name : Lithofin EASY-CARE**

**Revision date :** 03.03.2021  
**Print date :** 13.04.2021

**Version (Revision) :** 5.0.0 (4.0.0)

---

Limit value type : DNEL worker (systemic)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 12 mg/m<sup>3</sup>

Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl) ; CAS No. : 68155-07-7  
Limit value type : DNEL Consumer (local)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 0,0562 mg/cm<sup>3</sup>

Limit value type : DNEL Consumer (systemic)  
Exposure route : Oral  
Exposure frequency : Long-term  
Limit value : 6,25 mg/kg/d

Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; CAS No. : 68891-38-3  
Limit value type : DNEL Consumer (systemic)  
Exposure route : Oral  
Exposure frequency : Long-term  
Limit value : 15 mg/kg/d

Limit value type : DNEL Consumer (systemic)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 1650 mg/kg/d

Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl) ; CAS No. : 68155-07-7  
Limit value type : DNEL Consumer (systemic)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 2,5 mg/kg/d

Limit value type : DNEL Consumer (systemic)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 21,73 mg/cm<sup>2</sup>

Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; CAS No. : 68891-38-3  
Limit value type : DNEL Consumer (systemic)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 52 mg/m<sup>3</sup>

Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl) ; CAS No. : 68155-07-7  
Limit value type : DNEL worker (local)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 0,0936 mg/cm<sup>2</sup>

Limit value type : DNEL worker (systemic)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 4,16 mg/kg/d

Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; CAS No. : 68891-38-3  
Limit value type : DNEL worker (systemic)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 2750 mg/kg/d

Limit value type : DNEL worker (systemic)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 175 mg/m<sup>3</sup>

Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl) ; CAS No. : 68155-07-7  
Limit value type : DNEL worker (systemic)  
Exposure route : Inhalation  
Exposure frequency : Long-term

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

( EN / D )

**Trade name :** Lithofin EASY-CARE

**Revision date :** 03.03.2021

**Version (Revision) :** 5.0.0 (4.0.0)

**Print date :** 13.04.2021

Limit value : 73,4 mg/m<sup>3</sup>

## PNEC

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts ; CAS No. : 68411-30-3

Limit value type : PNEC (Aquatic, freshwater)

Limit value : 0,268 mg/l

Limit value type : PNEC (Aquatic, intermittent release)

Limit value : 0,0167 mg/l

Limit value type : PNEC (Aquatic, marine water)

Limit value : 0,0268 mg/l

Limit value type : PNEC (Sediment, freshwater)

Limit value : 8,1 mg/kg

Limit value type : PNEC (Sediment, marine water)

Limit value : 8,1 mg/kg

Limit value type : PNEC (Sewage treatment plant)

Limit value : 3,43 mg/l

Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl) ; CAS No. : 68155-07-7

Limit value type : PNEC (Aquatic, freshwater)

Limit value : 0,007 mg/l

Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; CAS No. : 68891-38-3

Limit value type : PNEC (Aquatic, freshwater)

Limit value : 0,24 mg/l

Limit value type : PNEC (Aquatic, intermittent release)

Limit value : 0,071 mg/l

Limit value type : PNEC (Aquatic, marine water)

Limit value : 0,024 mg/l

Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl) ; CAS No. : 68155-07-7

Limit value type : PNEC (Aquatic, marine water)

Limit value : 0,0007 mg/l

Limit value type : PNEC (Sediment, freshwater)

Limit value : 0,195 mg/kg

Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; CAS No. : 68891-38-3

Limit value type : PNEC (Sediment, freshwater)

Limit value : 5,45 mg/kg

Limit value type : PNEC (Sediment, marine water)

Limit value : 0,545 mg/kg

Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl) ; CAS No. : 68155-07-7

Limit value type : PNEC (Sediment, marine water)

Limit value : 0,0195 mg/kg

Limit value type : PNEC (Soil)

Limit value : 0,035 mg/kg

Limit value type : PNEC (Sewage treatment plant)

Limit value : 830 mg/l

Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; CAS No. : 68891-38-3

Limit value type : PNEC (Sewage treatment plant)

Limit value : 10000 mg/l

## 8.2 Exposure controls

### Appropriate engineering controls

Ensure adequate ventilation of the storage area.

Technical measures and the application of suitable work processes have priority over personal protection equipment.

### Personal protection equipment

#### Eye/face protection

Usually no personal eye/face protection necessary. Eye/face protection necessary at: Splashes, Contact with eyes, Spray application.

#### Suitable eye protection

Eye glasses with side protection goggles

#### Required properties

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

( EN / D )

**Trade name :** Lithofin EASY-CARE

**Revision date :** 03.03.2021

**Version (Revision) :** 5.0.0 (4.0.0)

**Print date :** 13.04.2021

DIN EN 166

## Skin protection

Usually no personal skin protection necessary. Skin protection necessary at: Splashes, Contact with skin, Spray application.

### Hand protection

**Suitable gloves type :** Gloves with long cuffs

**Suitable material :** NBR (Nitrile rubber), 0,4mm, >8h; Butyl caoutchouc, 0,5mm, >8h; FKM (fluoro rubber), 0,7mm, >8h;

**Recommended glove articles :** Manufacturer KCL GmbH/Eichenzell-Germany; Ansell/Yarra City-Australia Or comparable articles from other companies.

**Additional hand protection measures :** Check leak tightness/impermeability prior to use.

**Remark :** Breakthrough times and swelling properties of the material must be taken into consideration. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Barrier creams are not substitutes for body protection.

### Body protection

Protective clothing.

**Suitable protective clothing :** Chemical protection clothing Chemical resistant safety shoes

**Required properties :** alkali-resistant.

Protective clothing. : DIN EN 13034 DIN EN 14605

Chemical resistant safety shoes : DIN EN ISO 20345

**Remark :** Barrier creams are not substitutes for body protection.

## Respiratory protection

Usually no personal respiratory protection necessary. Respiratory protection necessary at: insufficient ventilation aerosol or mist formation. high concentrations spray application

### Suitable respiratory protection apparatus

Combination filtering device (EN 14387) Half-face mask (DIN EN 140) ABEK-P1

### Remark

Use only respiratory protection equipment with CE-symbol including four digit test number. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

## General information

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately. Wash contaminated clothing prior to re-use. Wash hands before breaks and after work. Apply skin care products after work. Do not breathe gas/fumes/vapour/spray.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Appearance :** viscous

**Colour :** light beige

**Odour :** perfumed

### Safety characteristics

**Melting point/freezing point :** ( 1013 hPa ) approx. -3 °C

**Initial boiling point and boiling range :** ( 1013 hPa ) approx. 84 °C

**Decomposition temperature :** ( 1013 hPa ) not determined

**Flash point :** not applicable closed cup (EN ISO 3679)

**Auto-ignition temperature :** not determined

**Sustaining combustion** No UN Test L2:Sustained combustibility test

**Lower explosion limit :** not determined

**Upper explosion limit :** not determined

**Vapour pressure :** ( 50 °C ) < 3000 hPa

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

( EN / D )

**Trade name :** Lithofin EASY-CARE

**Revision date :** 03.03.2021

**Version (Revision) :** 5.0.0 (4.0.0)

**Print date :** 13.04.2021

<b>Density :</b>	( 20 °C )		1,02	g/cm <sup>3</sup>	Pyknometer (DIN EN ISO 2811-1)
<b>Solvent separation test :</b>	( 20 °C )	<	3	%	Test L1: Solvent separation test (UN)
<b>Water solubility</b>	( 20 °C )			miscible	
<b>pH :</b>		approx.		11	DIN 19268
<b>log P O/W :</b>				not determined	(Mixture)
<b>Flow time :</b>	( 23 °C )	>	90	s	ISO cup 4 mm (DIN EN ISO 2431)
<b>Odour threshold :</b>				not determined	
<b>Vapourisation rate :</b>				not determined	
<b>VOC content-EC</b>			0,7	Wt %	*
<b>VOC content-EC</b>			7	g/l	*
<b>VOC-France</b>				not applicable	Décret no 2011-321 du 23 mars 2011

(\* VOC-EC = „Volatile organic compound (VOC)“ means any organic compound having an initial boiling point less than or equal to 250°C measured at a standard pressure of 101,3 kPa; VOC-value in g/L)

## 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

### 10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4 Conditions to avoid

Stable under recommended storage and handling conditions.

### 10.5 Incompatible materials

The product develops hydrogen in an aqueous solution in contact with metals.

### 10.6 Hazardous decomposition products

Does not decompose when used for intended uses.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Acute oral toxicity

Parameter :	LD50 ( Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts ; CAS No. : 68411-30-3 )
Exposure route :	Oral
Species :	Rat
Effective dose :	> 300 - 2000 mg/kg
Method :	OECD 401
Parameter :	LD50 ( Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl) ; CAS No. : 68155-07-7 )
Exposure route :	Oral
Species :	Rat
Effective dose :	> 5000 mg/kg
Method :	OECD 401
Parameter :	LD50 ( Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; CAS No. : 68891-38-3 )



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

( EN / D )

**Trade name :** Lithofin EASY-CARE

**Revision date :** 03.03.2021

**Version (Revision) :** 5.0.0 (4.0.0)

**Print date :** 13.04.2021

Exposure route : Oral  
Species : Rat  
Effective dose : 4100 mg/kg

#### Acute dermal toxicity

Parameter : LD50 ( Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts ; CAS No. : 68411-30-3 )

Exposure route : Dermal  
Effective dose : > 2000 mg/kg  
Method : OECD 402

Parameter : LD50 ( Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl) ; CAS No. : 68155-07-7 )

Exposure route : Dermal  
Species : Rabbit  
Effective dose : > 2000 mg/kg

Parameter : LD50 ( Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; CAS No. : 68891-38-3 )

Exposure route : Dermal  
Species : Rat  
Effective dose : > 2000 mg/kg

#### Specific effects (Longterm animal experiment)

There are no data available on the preparation/mixture itself.

#### Corrosion

##### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

##### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

#### Repeated dose toxicity (subacute, subchronic, chronic)

There are no data available on the preparation/mixture itself.

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

##### Carcinogenicity

Based on available data, the classification criteria are not met.

##### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

##### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2 Information on other hazards

No information available.

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Aquatic toxicity

Based on available data, the classification criteria are not met.

##### Chronic (long-term) fish toxicity

Parameter : NOEC ( Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts ; CAS No. : 68411-30-3 )

Species : Fish

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

( EN / D )

**Trade name :** Lithofin EASY-CARE

**Revision date :** 03.03.2021

**Version (Revision) :** 5.0.0 (4.0.0)

**Print date :** 13.04.2021

Effective dose : > 0,1 - 1 mg/l  
Exposure time : 28 D  
Parameter : NOEC ( Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl) ; CAS No. : 68155-07-7 )  
Species : Fish  
Evaluation parameter : Chronic (long-term) fish toxicity  
Effective dose : 0,32 mg/l  
Exposure time : 28 D

### Chronic (long-term) toxicity to crustacea

Parameter : NOEC ( Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts ; CAS No. : 68411-30-3 )  
Species : Daphnia  
Effective dose : > 1 - 10 mg/l  
Exposure time : 32 D  
Parameter : NOEC ( Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl) ; CAS No. : 68155-07-7 )  
Species : Daphnia  
Evaluation parameter : Chronic (long-term) toxicity to crustacea  
Effective dose : 0,07 mg/l  
Exposure time : 21 D  
Parameter : NOEC ( Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; CAS No. : 68891-38-3 )  
Species : Daphnia  
Effective dose : 0,27 mg/l  
Exposure time : 21 D

### Acute (short-term) toxicity to aquatic algae and cyanobacteria

Parameter : EC50 ( Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts ; CAS No. : 68411-30-3 )  
Species : Daphnia  
Effective dose : > 1 - 10 mg/l  
Method : OECD 202  
Parameter : EC50 ( Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl) ; CAS No. : 68155-07-7 )  
Species : Daphnia  
Evaluation parameter : Acute (short-term) toxicity to crustacea  
Effective dose : 3,2 mg/l  
Exposure time : 48 h  
Method : OECD 202  
Parameter : EC50 ( Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; CAS No. : 68891-38-3 )  
Species : Daphnia  
Effective dose : 7,2 mg/l  
Exposure time : 48 h  
Parameter : EC50 ( Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl) ; CAS No. : 68155-07-7 )  
Species : Algae  
Evaluation parameter : Acute (short-term) toxicity to aquatic algae and cyanobacteria  
Effective dose : 18,6 mg/l  
Exposure time : 72 h  
Method : OECD 201

### Chronic (long-term) algae toxicity

Parameter : NOEC ( Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts ; CAS No. : 68411-30-3 )  
Species : Algae  
Effective dose : > 4 mg/l  
Exposure time : 28 D

### Sewage treatment plant

Observe local regulations concerning effluent treatment. Before discharge into sewage plants the product normally needs to be neutralised.

### 12.2 Persistence and degradability

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

( EN / D )

**Trade name :** Lithofin EASY-CARE

**Revision date :** 03.03.2021

**Version (Revision) :** 5.0.0 (4.0.0)

**Print date :** 13.04.2021

There are no data available on the preparation/mixture itself.

### **Biodegradation**

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

### **12.3 Bioaccumulative potential**

There are no data available on the preparation/mixture itself.

### **12.4 Mobility in soil**

There are no data available on the preparation/mixture itself.

### **12.5 Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### **12.6 Endocrine disrupting properties**

No information available.

### **12.7 Other adverse effects**

There are no data available on the preparation/mixture itself.

### **12.8 Additional ecotoxicological information**

#### **Additional information**

The product has not been tested.

## **SECTION 13: Disposal considerations**

### **13.1 Waste treatment methods**

Dispose of waste according to applicable legislation.

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

#### **Directive 2008/98/EC (Waste Framework Directive)**

##### **Before intended use**

##### **Waste codes/waste designations according to EWC/AVV**

Waste code (EWC/AVV) : 07 06 08\* (other still bottoms and reaction residues)

##### **After intended use**

Do not allow to enter into surface water or drains. Non-contaminated packages may be recycled. Packing which cannot be properly cleaned must be disposed of. Delivery to an approved waste disposal company.

##### **Disposal operations**

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Packing which cannot be properly cleaned must be disposed of.

##### **Waste codes/waste designations according to EWC/AVV**

Waste code packaging: 15 01 10\*

### **13.2 Additional information**

These codes are assigned based upon the most common uses for this material and may not reflect contaminants resulting from actual use.

## **SECTION 14: Transport information**

### **14.1 UN number**

No dangerous good in sense of these transport regulations.

### **14.2 UN proper shipping name**

No dangerous good in sense of these transport regulations.

### **14.3 Transport hazard class(es)**

No dangerous good in sense of these transport regulations.

### **14.4 Packing group**

No dangerous good in sense of these transport regulations.

### **14.5 Environmental hazards**

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

( EN / D )

**Trade name :** Lithofin EASY-CARE

**Revision date :** 03.03.2021

**Version (Revision) :** 5.0.0 (4.0.0)

**Print date :** 13.04.2021

No dangerous good in sense of these transport regulations.

## 14.6 Special precautions for user

None

## 14.7 Maritime transport in bulk according to IMO instruments

Not required.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU legislation

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)  
REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on classification, labelling and packaging of substances and mixtures (clp)  
DIRECTIVE 2008/98/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on waste (2000/532/EC)  
EN 2:1992 (DIN EN 2:2005-01)

#### Authorisations and/or restrictions on use

##### Restrictions on use

Use restriction according to REACH annex XVII, no. : 3

##### Restrictions of occupation

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).  
Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### Other regulations (EU)

Regulation (EC) No. 648/2004 (Detergents regulation)  
Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work. (Directive 2000/39/EC, Directive 2006/15/EC, Directive 2009/161/EC)  
REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the export and import of hazardous chemicals [PIC-Regulation]: Not listed.  
REGULATION (EU) No 98/2013 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on the marketing and use of explosives precursors: Not listed.

#### Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer

Not listed.

Contains the following substances that deplete the ozone layer: -

#### Regulation (EC) No 850/2004 [POP-Regulation]

Not listed.

Name of the persistent organic pollutant (POP): -

#### National regulations

Observe in addition any national regulations!

Germany:

TRGS 400 (Risk assessment for activities involving hazardous substances)

TRGS 500 (Protective measures)

TRGS 510 (Storage of hazardous substances in non-stationary containers)

TRGS 555 (Working instruction and information for workers)

#### Water hazard class (WGK)

Classification according to AwSV - Class : 1 (Slightly hazardous to water)

#### Other regulations, restrictions and prohibition regulations

##### Switzerland

##### VOCV-Regulation

Maximum VOC content (Switzerland) : < 3 Wt % according to VOCV

##### Austria

##### Regulation on Flammable Liquids - VbF

VbF-Class : NU

### 15.2 Chemical safety assessment

For this substance/mixture a chemical safety assessment has not been carried out.

**Trade name :** Lithofin EASY-CARE

**Revision date :** 03.03.2021

**Version (Revision) :** 5.0.0 (4.0.0)

**Print date :** 13.04.2021

### 15.3 Additional information

## SECTION 16: Other information

### 16.1 Indication of changes

02. Classification of the substance or mixture · 02. Label elements · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 07. Hints on joint storage - Storage class · 11. Skin corrosion/irritation · 15. Water hazard class (WGK)

### 16.2 Abbreviations and acronyms

ABC-Pulver	Extinguishing powder for fire class A, B and C
ABEK-P1	combination filter
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AVV	Abfallverzeichnis-Verordnung (Waste Regulation)
AWSV	Ordinance on facilities for the handling of substances hazardous to water
BGR	BG rules and regulations
ca.	circa
CAS	Chemical Abstracts Service
CLP	classification, labelling and packaging
CMR	Carcinogen, mutagen or toxic for reproduction
DIN	German Institute for Standardization
DNEL	Derived No-Effect Level
EAK/EWC/EAC/CWR/CER	European Waste Catalogue
EC50 / CE50	Effective Concentration 50%
EG / EC / CE	European Community
EN	European Standard
EUH	supplemental hazard statement of the european union
GefStoffV	Gefahrstoffverordnung (Hazardous Substances Ordinance)
GHS / SGH	Globally Harmonised System
H-Sätze	hazard statements
IATA-DGR	International Air Transport Association-Dangerous Goods Regulations
IBC-Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO-TI	International Civil Aviation Organization-Technical Instructions
IMDG-Code	International Maritime Dangerous Goods Code
ISO	International Organization for Standardization
LC50 / CL50	Lethal Concentration 50%
LD50 / DL50	Lethal Dose 50%
log P O/W	Partition coefficient n-octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (marine pollution)
NOAEL (DSET)	No observed adverse effect level
NOEC (CSEO)	No observed effect concentration
Nr.	Number
OECD	Organisation for Economic Co-operation and Development
PBT	persistent, bioaccumulative and toxic
pH	Potentia hydrogenii
PIC	prior informed consent
PNEC	Predicted No-Effect Concentration
POP	Persistent organic pollutants

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

( EN / D )

## Trade name : Lithofin EASY-CARE

Revision date : 03.03.2021

Version (Revision) : 5.0.0 (4.0.0)

Print date : 13.04.2021

---

P-Sätze	precautionary statements
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	International Carriage of Dangerous Goods by Rail
STEL / LECT	short-term exposure limit
TRGS	Technische Regeln für Gefahrstoffe (Technical Rules for Hazardous Substances)
TWA / MPT	time-weighted average
UN/ONU	United Nations
VOC/COV/VOS/LZO	Volatile Organic Compound
VOCV	Ordinance on the Incentive Tax on Volatile Organic Compounds (SR 814.018)
vPvB	very persistent and very bioaccumulative
WGK	Wassergefährdungsklasse (Water hazard class)

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>. For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

### 16.3 Key literature references and sources for data

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL  
ECHA: Registered substances (<https://echa.europa.eu/information-on-chemicals/registered-substances>)  
REACH Article 59: Candidate List of substances of very high concern for Authorisation (<https://echa.europa.eu/candidate-list-table>)

### 16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard statements for physical hazards : On basis of test data.  
Hazard statements for health hazards : Calculation method.  
Hazard statements for environmental hazards : Calculation method.

### 16.5 Relevant H- and EUH-phrases (Number and full text)

H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### 16.6 Training advice

None

### 16.7 Additional information

None

---

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---